DEC 0 1 2005.


TITLE: SEMICONDUCTING DEVICE WITH FOLDED INTERPOSER


INVENTOR'S NAME: Iwen Chao, et al.

SERIAL NO.: 10/812,277 DOCKET NO.: 884.C26US1

1/6

REPLACEMENT SHEET






INVENTOR'S NAME: Iwen Chao, et al.
SERIAL NO.: 10/812,277 DOCKET NO.: 884.C26US1

2/6

REPLACEMENT SHEET




INVENTOR'S NAME: Iwen Chao, et al.
SERIAL NO.: 10/812,277 DOCKET NO.: 884.C26US1

- 10

REPLACEMENT SHEET

3/6



INVENTOR'S NAME: Iwen Chao, et al.

SERIAL NO.: 10/812,277 DOCKET NO.: 884.C26US1

4/6

REPLACEMENT SHEET

_ 50

SECURING A FIRST DIE TO A FIRST SECTION OF AN INTERPOSER, THE INTERPOSER INCLUDING A FIRST CONDUCTOR AND A SECOND CONDUCTOR ON A FIRST SURFACE OF THE INTERPOSER

- SOLDERING THE FIRST DIE TO THE INTERPOSER

54

FOLDING THE INTERPOSER TO SECURE THE FIRST DIE TO A SECOND SECTION OF THE INTERPOSER AND TO CONNECT THE FIRST CONDUCTOR TO THE SECOND CONDUCTOR TO FORM A CONTACT

- SOLDERING THE FIRST CONDUCTOR TO THE SECOND CONDUCTOR
- PLACING AN ADHESIVE ON THE FIRST DIE AND CONNECTING THE SECOND SECTION OF THE INTERPOSER TO THE ADHESIVE
- FORMING A CONTACT ON AN OPPOSING SIDE OF THE FIRST DIE
- CONNECTING EACH OF THE CONDUCTORS TO ANOTHER CONDUCTOR TO FORM A PLURALITY OF CONTACTS THAT EXTEND FROM THE FIRST SURFACE OF THE INTERPOSER BETWEEN THE FIRST SECTION AND THE SECOND SECTION
 - FORMING AT LEAST ONE CONTACT ON AN OPPOSING SIDE OF THE FIRST DIE
 - FORMING AT LEAST ONE CONTACT ON EACH SIDE OF THE FIRST DIE EXCEPT FOR THE ONE SIDE OF THE FIRST DIE
 - FORMING AT LEAST ONE CONTACT ON EACH SIDE OF THE FIRST DIE

56


SECURING A SECOND DIE TO A SECOND SURFACE OF THE INTERPOSER SUCH THAT THE FIRST AND SECOND DICE ARE STACKED ONE ON TOP OF ANOTHER AND ELECTRICALLY COUPLED BY THE INTERPOSER AND THE CONTACT

- SOLDERING THE SECOND DIE TO THE SECOND SURFACE OF THE INTERPOSER

INVENTOR'S NAME: Iwen Chao, et al.

SERIAL NO.: 10/812,277 DOCKET NO.: 884.C26US1

REPLACEMENT SHEET



INVENTOR'S NAME: Iwen Chao, et al.

SERIAL NO.: 10/812,277 DOCKET NO.: 884.C26US1

6/6

REPLACEMENT SHEET




Fig. 8